

RealValidExam



Try before you buy

Download a free sample of any of our exam questions and answers

- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.

Choose an exam to sample

Select a vendor... ▾

Select an exam... ▾

Your email address

 [Download Now](#)



QUALITY AND VALUE

RealValidExam Practice Exams are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development - no all dumps.



TESTED AND APPROVED

We are committed to the process of vendor and third party approvals. We believe professionals and executives alike deserve the confidence of quality coverage these authorizations provide. anEdison



EASY TO PASS

If you prepare for the exams using our RealValidExam testing engine, It is easy to succeed for all certifications in the first attempt. You don't have to deal with all dumps or any free torrent / rapidshare all stuff.



TRY BEFORE BUY

RealValidExam offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.

<http://www.realvalidexam.com>

100% real and valid exam dumps can ensure you pass at the first attempt

Exam : COG-321

Title : IBM Cognos Express Reporter V9.0
Certification Exam

Vendors : IBM

Version : DEMO

NO.1 What does Express Manager use to create a default model when a data source is created?

- A. a previous model definition
- B. the user's choices in the Framework Manager wizard
- C. a data source connection
- D. a template for each data source type

Answer: D

NO.2 You are using Framework Manager and star schema groupings in the business view. How can conformed dimensions be identified?

- A. Modify the icon for the query subject.
- B. Use a matching name for each dimension in the star schema grouping.
- C. Use view properties in a studio.
- D. Use the diagram view.

Answer: B

NO.3 When using Framework Manager, which type of models can be managed?

- A. OLAP and DMR
- B. Power Cube and TM1 Cube
- C. DMR and Relational
- D. MSAS and SAP BW

Answer: C

NO.4 In Framework Manager, how can a user help to automatically control queries at run-time?

- A. Use a macro that can be inserted into a Calculation, SQL Expression, or filter.
- B. Modify the data source during execution.
- C. Use a parameter to control the query.
- D. Apply security to the query enabling only administrators to execute them.

Answer: A

NO.5 To configure IBM Cognos Express to use a company's Active Directory namespace, what should you do?

- A. Assign privileges to the IBM Cognos Express administrators.
- B. Install IBM Cognos Xcelerator from within IBM Cognos Express Manager.
- C. Select the Enable Active Directory Authentication checkbox in the Manager Configuration

settings

screen.

D. Configure Informix Dynamic Server to have Read access on the assigned users role.

Answer: C

NO.6 Which three data sources are supported in IBM Cognos Express? (Choose three.)

A. Informix

B. DB2

C. ODBC

D. MSAS

E. JDBC

Answer: A,B,C

NO.7 When a default model is created, how many tables are brought into the model from the database?

A. first 25

B. half

C. all

D. none

Answer: C

NO.8 To reduce maintenance work in Framework Manager, which type of packages can be used to

consolidate other packages?

A. shared packages

B. nested packages

C. descendent packages

D. unique packages

Answer: B

NO.9 If a business key is changed for a level in a regular dimension, which two changes may occur? (Choose

two.)

A. member MUNS change

B. determinants are removed

C. level MUNS change

D. resulting queries will now fail

Answer: A,D

NO.10 How can creating a package containing multiple cubes in Framework Manager impact performance?

- A. Each time the package is used data from all cubes must be retrieved which slows down loading time.
- B. Each time the package is used a connection to all cubes is established which slows down metadata loading time.
- C. Each time a report is run the cubes in the package are traversed in a sequential order until the correct one is found.
- D. Each time a report is run the data sources are locked, forcing other reports to pause their execution.

Answer: B

NO.11 What are two reasons for including determinants in your model? (Choose two.)

- A. to provide control over granularity when performing aggregation
- B. to control the usage property during import
- C. to assist with setting security at the data level
- D. to improve performance on dimensionally modeled relational data (DMR)

Answer: A,D

NO.12 When publishing a new package from Framework Manager, model versioning is enabled by default. What are two ways that you can disable this functionality? (Choose two.)

- A. Set the number of models to retain to '1' in the publishing wizard.
- B. Disable model versioning in the "Preferences" dialog box.
- C. Uncheck the "enable model versioning" checkbox in the publishing wizard.
- D. Set the number of models to retain to "-1" in the publishing wizard.

Answer: A,C

NO.13 What are two IBM Cognos Express User roles for the Cognos Express client software? (Choose two.)

- A. IBM Cognos Express Users role
- B. IBM Cognos Express Xcelerator Client Users
- C. IBM Cognos Express Data Advisor Users
- D. IBM Cognos Express Xcelerator Users role

Answer: B,C

NO.14 In Framework Manager, why should metadata be modeled as a virtual star schema?

- A. Performance is dramatically improved for queries.
- B. It allows report authors to more simply generate complex calculations in reports.
- C. It helps ensure predictable results.
- D. It allows the modeler to maintain a tighter security policy.

Answer: C

NO.15 An error message occurs when installing a product within Cognos Express Manager. Where can the error be located within the Cognos Express Manager interface?

- A. the Content pane
- B. the Event Messages pane
- C. the Navigation pane
- D. the Administration pane

Answer: B

NO.16 To ensure a query subject is recognized as a fact by the Cognos query engine in all query scenarios, the query subject requires which cardinality rule?

- A. One instance of attached cardinality must be 1..1.
- B. One instance of attached cardinality must be 0..1.
- C. All instances of attached cardinality must be 1..1 and 0..n.
- D. All instances of attached cardinality must be either 1..n or 0..n.

Answer: D

NO.17 When importing metadata into Framework Manager from a relational database, what can be controlled by the modeler performing the import.?

- A. converting inner joins in the database to outer joins in the model
- B. defining multiple connections to the data source
- C. generating relationships based on existing primary and foreign key relationships in the database
- D. specifying the usage property for generated query items

Answer: C

NO.18 Click the Exhibit button. During package creation in Framework Manager, you can select objects that are

to be included in the package. Referring to the exhibit, which inclusion method is selected for the

ADDRESS1 object?

- A. Selected
- B. Hidden
- C. Unselected
- D. Removed

Answer: B

NO.19 When performing a restore of the IBM Cognos Express Content Store, what should you do?

- A. You must have at least the same products installed on the target server as on the source.
- B. The target server must have twice the amount of hard disk space as the source.
- C. The source server must have all users disabled.
- D. The administrator must stop the IBM Cognos Express Xcelerator CXMD service.

Answer: A

NO.20 An administrator wishes to create custom roles in IBM Cognos Express. What will accomplish this?

- A. IBM Cognos Administration
- B. IBM Cognos Connection
- C. IBM Cognos Express Manager Administration Users screen
- D. the IBM Cognos Express Welcome page

Answer: A